

English



PRACTICAL GUIDE COMEX 2023

www.joelini.com.br

Superimposed

JP360

+



GUIDA UNIVERSAL FOLGAZERO

DIFERENTIALS - GFZ UNIVERSAL


- SILENT AND SAFE
- NO NEED TO USE WRENCHES AND ADJUSTMENTS
- ASSEMBLY MORE PRATICAL
- FOR ALUMINUM AND WOODEN DOORS
- OPTIONS FOR RAILS OF:
26mm, 28mm , 30mm, 32mm, 34mm,
36mm, 38mm Y 40mm.


SINGLE GUIDE

ALL SIZES OF RAIL



MEASURES ACHIEVED








DIFERENTIALS - JP360

- 40MM WHEEL WHIT BEARING
- ARMORED MECHANISM
- REINFORCED ADJUSTMENT SCREW
- RELEASE LOCK
- SUPPORT EDGE
- FOR DOORS TO 60Kg


VARIATIONS

GUIDE	RAIL	IMAGE
Folgazero	27mm a 33,5mm	
DAMPER Folgazero	27mm a 33,5mm	

RECOMMENDATIONS



BACK VIEW



SUPERIMPOSED

JM135 + GMG 2,5mm




DIFERENTIALS

- SUPERIMPOSED SYSTEM
- FOR DOORS UP TO 45kg
- SUPPORT EDGE
- WHELL DIAMETER 33mm

ASSEMBLED



RECOMMENDATIONS




SUPERIMPOSED

JM443

+

GUIA UNIVERSAL


FOLGAZERO



DIFERENTIALS

- SUPERIMPOSED SYSTEM
- FOR WHEELS UP TO 45kg
- WITH BEARING
- WHEEL DIAMETER 41mm

RECOMMENDATIONS




SUPERIMPOSED JP240 + GUIA UNIVERSAL FOLGAZERO



DIFERENTIALS - GFZ UNIVERSAL

- SILENT AND SAFE
- NO NEED TO USE WRENCHES AND ADJUSTMENTS
- ASSEMBLY MORE PRATICAL
- FOR ALIMINUM AND WOODEN DOORS
- OPTIONS FOR RAILS OF:
26mm, 28mm , 30mm, 32mm, 34mm,
36mm, 38mm Y 40mm.

RECOMENDATIONS




VARIATIONS

GUIDE	RAIL	IMAGE
Folgazero	27mm a 33,5mm	
Damper Folgazero	27mm a 33,5mm	



BACK VIEW




DIFERENTIALS - JP240

- 40mm WHEEL WITH BEARING
- ARMORED MECHANISM
- REINFORCED ADJUSTMENT SCREW
- RELEASE LOCK
- SUPORT EDGE
- FOR DOORS UP TO 50Kg

Sliding door systems

JP55



DIFERENTIALS

- BUILT-IN
- EXCELLENT COST BENEFIT
- FOR DOORS UP TO 10KG
- ADJUSTMENT SCREW
- IDEAL FOR SHELVES AND BATHROOM CABINETS

SUPERIMPOSED SYSTEM



JP25




DIFERENTIALS

- SUPERIMPOSED SYSTEM
- WHEELS WITH BEARING
- FOR DOORS UP TO 30Kg
- MAX THICKNESS FROM DOOR 15mm A 20mm
- SUPORT EDGE
- ADJUSTMENT SCREW

DOOR HEIGHT CALCULATION



RECOMMENDED DOOR THICKNESS. RAIL AND DISTANCE



BARN DOOR SYSTEM

JP700

DEFERENTIALS

- 25mm WHEEL WITH BEARING
- CONCAVE OR CONVEX WHEEL
- REINFORCED ADJUSTMENT SCREW
- FOR DOORS UP TO 100kg
- TOP OR SIDE SUPPORT
- (OPTIONAL) JOELINI RAIL COVER



SUPPORT
100 kg



REINFORCED
ADJUSTMENT
SCREW




CONCAVE OR
CONVEX
WHEEL



SUPPORT



LATERAL SUPPORT



6,3


9,3



13




CONVEX SYSTEM




(OPTIONAL)
JOELINI RAIL COVER




CONCAVE SYSTEM








(OPTIONAL)
JOELINI RAIL COVER






FLOATING DOOR SYSTEM AZURE

EASY DOOR DISASSEMBLY



 <p>50kg FOR DOORS UP TO 50KG</p>	 <p>EASY ASSEMBLY</p>
 <p>INVISIBLE SYSTEM: ILLUSION OF FLOATING DOORS</p>	 <p>STEEL SYSTEM</p>
 <p>BEST COST BENEFIT FOR SUPERIMPOSED DOORS</p>	

DIFERENTIALS

- WEIGHT OF THE DOOR SUPPORTED ON THE BASE
- SYSTEM FOR TWO AND THREE DOORS
- ROBUSTNESS AND ECONOMIC
- 100% ANTI-DERRAIL




TV SUPPORT




DIFERENTIALS

- FOR TV'S FROM 14" TO 71"
- CARBON STEEL
- SUPPORT UP TO 80kg
- TEMPLATE INCLUDED
- 35mm DISTANCE BETWEEN TV AND WALL


RAILS




NATURAL SIMPLE
RAIL




NATURAL OR ANODIZED
DOUBLE 29mm RAIL



NATURAL OR ANODIZED
DOUBLE 34mm RAIL





NATURAL OR ANODIZED
TOP RAIL DOUBLE 27MM



NATURAL OR ANODIZED
TOP RAIL DOUBLE 32MM


HANDLES

474





ANODIZED 15MM
DOOR HANDLE

475





ANODIZED 18MM
DOOR HANDLE

473





ANODIZED COVER
PROFILE 15MM
DOOR

476



ANODIZED COVER
PROFILE 18MM
DOOR

506



ANODIZED 18MM
DOOR HANDLE



**100% Brazilian
manufacturing**

**Origin
Certificate**

**0% taxes for South
America**

**Quick logistics for latin
America**



www.joelini.com.br

+55 43 3172-4359 | sac@joelini.com.br

facebook.com/joeliniferragens | instagram.com/joelini

R. Arapaçu-Listrado, 260, Pq. Ind. II, Arapongas - PR - CEP 86703-295